

Bourne Liquid Wax

Floor Wax

Description

A solvent based wax floor polish for traditional maintenance of wood floors

Key properties

- Solvent based
- Fully buffable

Benefits

- Ideal for use on Wood, Cork, Granwood & Terracotta floors.
- Cleans, protects and builds a long lasting shine

Use instructions

Shake container well. If stored at low temperature, or difficult to pour, allow to reach room temperature before use. Apply an even coat of **Bourne Liquid Wax** using a suitable applicator or trigger bottle. Allow to dry and then buff to a shine with a high speed rotary floor machine fitted with a tan buffing pad or polishing brush. Dust control/lightly damp mop daily and maintain shine on floor by machine buffing. Re-apply **Bourne Liquid Wax** and buff on those areas that are worn and no longer respond to buffing every 1 to 4 weeks, depending on traffic conditions. Caution: Flammable mixture, do not use near fire or flame or electric arcing. Ensure adequate ventilation of work area when applying the product.

Technical data

Appearance:	Yellow Liquid
pH neat	Not applicable
pH Diluted	Not applicable
S.G.	0.98
Viscosity	

The above data is typical of normal production and should not be taken as a specification.


Safe handling and storage information

Store in original closed containers away from extreme temperatures.
 Keep from freezing
 Do not use at temperatures below 10 ° C

Full guidance on the handling and disposal of this product is provided in a separate Material Safety Data Sheet.

Product compatibility

Never use **Bourne Liquid Wax** on top of emulsion floor polishes.
 Never use it on Thermoplastic, vinyl, rubber or asphalt floors. New or sanded floors should be sealed with Bourneseal before applying **Bourne Liquid Wax**



SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

JohnsonDiversey

JohnsonDiversey UK Limited

Weston Favell Centre Northampton NN3 8PD Tel 01604 405311 Fax 01604 406809 Emergency Call 0800 052 0185

Clearance Code

BOURNE LIQUID WAX
Floor Polish

Product
Code

657346

TO :

2. COMPOSITION / INFORMATION ON INGREDIENTS

CAS No

EINECS No

White spirit (Turpentine substitute)

(F): R10

(>30%)

Full text of R-phrases is given in section 16.

3. HAZARDS IDENTIFICATION

Flammable. Harmful - harmful if swallowed.

4. FIRST AID MEASURES

- Eyes :** Rinse immediately with plenty of water, holding the eyelids open and seek medical advice if effects persist.
- Inhalation :** Remove from source of vapour or spray mist and seek medical advice.
- Skin :** Wash thoroughly.
- Ingestion :** Remove product from mouth, give a small quantity of milk to drink if patient is conscious but, to avoid possible respiratory complications later, avoid causing the patient to vomit, obtain immediate medical attention.

5. FIRE FIGHTING MEASURES

FLAMMABLE - In the event of a fire use carbon dioxide or dry powder extinguishers. May evolve toxic fumes if involved in a fire. Firefighters should wear self contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Contain, collect or absorb onto dry sand or similar absorbent material and dispose of to a licensed waste management company. Caution, spillages may be unusually slippery.

7. HANDLING & STORAGE

Always ensure good ventilation when using this product. In common with all detergents, contact with eyes and prolonged contact with the skin should be avoided. Rinse and dry hands after use, for prolonged contact protection of the hands may be necessary. Do not mix with any other chemicals other than as advised by your JohnsonDiversey representative.

This product is classified HIGHLY FLAMMABLE for storage under the Highly Flammable Liquids and Liquefied Petroleum Gases Regulations 1972 and should be stored in accordance with the recommendations in HSE Guidance Note HS(G)51 (Storage of Flammable Liquids in Containers).

8. EXPOSURE CONTROL / PERSONAL PROTECTION

- Hand :** For prolonged contact, the use of rubber gloves resistant to detergents is recommended.
- Eyes :** Personal protection is not normally required unless a risk assessment indicates the need for it..
- Skin :** Personal protection is not normally required unless a risk assessment indicates the need for it..
- Respiration :** Ensure adequate ventilation when applying the product. Personal protection is not normally required unless a risk assessment indicates the need for it..

OES/MEL : White Spirit, (Turpentine Substitute)
O.E.S. 720 mg/cu.m 15 min ref time
O.E.S. 575 mg/cu.m 8 hour TWA.

ref. HSE publication EH40

9. PHYSICAL & CHEMICAL PROPERTIES

Appearance : Opaque, blue liquid

Odour : White Spirit

Solubility : Insoluble in water

Flammability : Flammable

Density : 0.78 g/ml

10. STABILITY & REACTIVITY

Provided the product is stored in accordance with the approved guidelines there are no known hazardous decomposition products.

11. TOXICOLOGICAL INFORMATION

Eyes : Capable of causing irritation.

Skin : May be irritant on prolonged or repeated contact.

Inhalation : May be capable of causing irritation.

Ingestion : Harmful.

12. ECOLOGICAL INFORMATION

Ingredients according to EC 89/542:

More than 30% : Aliphatic hydrocarbons.

13. DISPOSAL CONSIDERATIONS

This product does not contain any prescribed substance under the Environmental Protection Act (Prescribed Processes and Substances) Regulations 1991 but is classified as special waste under the Control of Substances (Special Waste) Regulations 1996. For disposal of both large and small quantities contact a licensed waste management company.

14. TRANSPORT INFORMATION

EEC Regulation : F, FLAMMABLE, Petroleum Distillates, NOS, (White Spirit), UN1268, Hazchem 3[Y].

IMDG/UN : Petroleum Distillates, NOS, (White Spirit), UN1268, Class 3.3, PG III, Marine Pollutant.

RID/ADR : Class 3, Item 31(c).

ICAO/IATA : Passenger Aircraft: 309, Y309
Cargo Aircraft: 310.**15. REGULATORY INFORMATION**

Hazard symbol : (F), FLAMMABLE, Contains White Spirit.

Risk phrases : Flammable.
Harmful if swallowed.Safety phrases : Keep out of reach of children.
Do not breathe fumes.
Use only in well-ventilated areas.
If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.White Spirit, (Turpentine Substitute)
O.E.S. 720 mg/cu.m 15 min ref time
O.E.S. 575 mg/cu.m 8 hour TWA.**16. OTHER INFORMATION**

Handle and apply only as recommended, for full information see product information sheet.

Internal Reference:-

Change to format of SDS

Bourne Liquid Wax

Available pack sizes

2 x 5 L

JohnsonDiversey (UK)
Weston Favell Centre
Northampton NN3 8PD
Tel. 01604 405311
www.johnsondiversevy.com
P91814GBEN-01